

Brass Quick Push-in fittings - QB series



Raccordi di connessione rapida in ottone - Serie QB



The quick push-in fittings QB series allows very fast and safe connections in pneumatic automation field. The wide range of models, versions and sizes available makes QB fittings very flexible in every application of valves and cylinders.


I raccordi ad innesto e disinnesto rapido del tubo permettono connessioni molto rapide e flessibili anche in situazioni e spazi limitati. La vasta gamma di figure e taglie Vesta consente il loro utilizzo in modo ottimale nel campo dell'automazione pneumatica in genere con collegamenti sicuri nei più svariati campi di impiego.

TECHNICAL DATA - DATI TECNICI	
Applications - Applicazioni	compressed air/vacuum - Aria compressa /vuoto
Fluid - Fluido	Air (no other gases or liquids) - Aria (no altri fluidi)
Working pressure - Pressione di lavoro	0 - 10 bar
Max Pressure - Massima pressione	12 bar
Vacuum - Depressione	-1 bar
Operating Temperature - Range di temperatura	- 20 °C + 80 °C
Recommended hoses - Tubi consigliati	Nylon, Polyurethane, Rilsan - Nylon, Poliuretano, Rilsan




*on request / a richiesta

QB CC on request / a richiesta




MODEL	ØD	R	L1	L2	ØD1	↻
QB CC 04 M5	4	M5	3,5	20,2	8	8
QB CC 04 18		R1/8	7,5	19	8,5	10
QB CC 06 M5	6	M5	3,5	24,7	12	12
QB CC 06 18		R1/8	7,5	24,7	12	12
QB CC 06 14		R1/4	9,5	24,5	12	14
QB CC 08 18	8	R1/8	7,5	28,7	14	14
QB CC 08 14		R1/4	9,5	27,7	14	14
QB CC 08 38		R3/8	10,5	22,7	14	17
QB CC 10 14	10	R1/4	9,5	33	16	16
QB CC 10 38		R3/8	10,5	27	16	17
QB CC 10 12		R1/2	13,5	26	16	21
QB CC 12 38	12	R3/8	10,5	31,7	18	19
QB CC 12 12		R1/2	13,5	26,2	18	21

QB LC on request / a richiesta




MODEL	ØD	R	L1	L2	L3	ØD1	↻
QB LC 04 M5	4	M5	3,5	16	18,5	8,5	10
QB LC 04 18		R1/8	7,5	19,5	18,5	8,5	10
QB LC 06 M5	6	M5	3,5	16	23,5	12	10
QB LC 06 18		R1/8	7,5	19,5	23,5	12	10
QB LC 06 14		R1/4	9,5	21,5	23,5	12	14
QB LC 08 18	8	R1/8	7,5	21	25,7	14	12
QB LC 08 14		R1/4	9,5	23	25,7	14	14
QB LC 08 38		R3/8	10,5	24,5	25,7	14	17
QB LC 10 14	10	R1/4	9,5	24,5	29	16	14
QB LC 10 38		R3/8	10,5	26	29	16	17
QB LC 10 12		R1/2	13,5	29	29	16	21
QB LC 12 38	12	R3/8	10,5	27	30,7	18	17
QB LC 12 12		R1/2	13,5	30	30,7	18	21

QB TC on request / a richiesta




MODEL	ØD	R	L1	L2	L3	ØD1	↻
QB TC 04 M5	4	M5	3,5	16	37	8,5	10
QB TC 04 18	4	R1/8	7,5	19,5	37	8,5	10
QB TC 06 M5	6	M5	3,5	17	44	12	10
QB TC 06 18	6	R1/8	7,5	20,5	44	12	10
QB TC 06 14	6	R1/4	9,5	22,5	44	12	14
QB TC 08 18	8	R1/8	7,5	21,5	50,5	14	12
QB TC 08 14	8	R1/4	9,5	23,5	50,5	14	14
QB TC 08 38	8	R3/8	10,5	25	50,5	14	17
QB TC 10 14	10	R1/4	9,5	25	64	16	14
QB TC 10 38	10	R3/8	10,5	26,5	64	16	17
QB TC 10 12	10	R1/2	13,5	29,5	64	16	21
QB TC 12 38	12	R3/8	10,5	27,5	66,5	18	17
QB TC 12 12	12	R1/2	13,5	30,5	66,5	18	21

QB DC on request / a richiesta




MODEL	ØD	R	L1	L2	L3	L4	ØD1	↻
QB DC 04 M5	4	M5	3,5	16,5	17,5	34	8,5	10
QB DC 04 18		R1/8	7,5	20	17,5	37,5	8,5	10
QB DC 06 M5	6	M5	3,5	16,5	25	41,5	12	10
QB DC 06 18		R1/8	7,5	20	25	45	12	10
QB DC 06 14		R1/4	9,5	22	25	47	12	14
QB DC 08 18	8	R1/8	7,5	21,5	27,2	48,7	14	12
QB DC 08 14		R1/4	9,5	23,5	27,2	50,7	14	14
QB DC 08 38		R3/8	10,5	25	27,2	52,2	14	17
QB DC 10 14	10	R1/4	9,5	25	32	57	16	14
QB DC 10 38		R3/8	10,5	26,5	32	58,5	16	17
QB DC 10 12		R1/2	13,5	29,5	32	61,5	16	21
QB DC 12 38	12	R3/8	10,5	27,5	33,2	60,7	18	17
QB DC 12 12		R1/2	13,5	30,5	33,2	63,7	18	21

QB U




MODEL	ØD	ØD1	ØD2	ØD3	L
QB U 04 04	4	4	8,5	8,5	30,3
QB U 06 06	6	6	12	12	39
QB U 08 08	8	8	14	14	41,4
QB U 10 10	10	10	16	16	45,3
QB U 12 12	12	12	18	18	49
QB U 06 04	6	4	8,5	12	35
QB U 08 06	8	6	12	14	40,3
QB U 10 08	10	8	14	16	43,3
QB U 12 10	12	10	16	18	47

QB V




MODEL	ØD	ØD1	L
QB V 04	4	8,5	18,5
QB V 06	6	12	25
QB V 08	8	14	27,2
QB V 10	10	16	32
QB V 12	12	18	33,2

QB E




MODEL	ØD	ØD1	L1	L2
QB E 04	4	8,5	35	17,5
QB E 06	6	12	50	25
QB E 08	8	14	54,4	27,2
QB E 10	10	16	64	32
QB E 12	12	18	66,4	33,2

QB Z




MODEL	ØD	ØD1	L
QB Z 04	4	8,5	35
QB Z 06	6	12	48,5
QB Z 08	8	14	54
QB Z 10	10	16	58
QB Z 12	12	18	63,5

QB M




MODEL	ØD	ØD1	L	L1(max)	M	↻
QB M 04	4	8,5	30,3	8	M10X1	14
QB M 06	6	12	39	13	M14X1	17
QB M 08	8	14	41,4	14	M16X1	19
QB M 10	10	16	45,3	13	M18X1	21
QB M 12	12	18	49	18	M20X1	24

QB GJ




MODEL	ØD	ØD1	ØD2	L1	L2
QB GJ 04	4	6	9	21	34,5
QB GJ 06	6	8	12	22	42
QB GJ 08	8	10	14	25,5	46,5
QB GJ 10	10	12	16	26	49,5

QB RC on request / a richiesta




MODEL	ØD	R	L1	L2	L3(max)	ØD1	ØD2	H	↻
QB RC 04 18	4	R1/8	6,4	15	43	8,5	13	22	12
QB RC 06 18	6	R1/8	6,4	15	43	12	13	26,5	12
QB RC 06 14		R1/4	9	17	48	12	16,5	27,5	14
QB RC 08 18	8	R1/8	6,4	15	43	14	13	27,5	12
QB RC 08 14		R1/4	9	17	48	14	16,5	30	14
QB RC 08 38		R3/8	10,5	20	53	14	21	32	19
QB RC 10 14	10	R1/4	9	17	48	16	16,5	31	14
QB RC 10 38		R3/8	10,5	20	53	16	21	35	19
QB RC 10 12		R1/2	14	26	61	16	27	37	24

QB CG




MODEL	ØD	G	L1	L2	ØD1	ØD2	↻
QB CG 04 18	4	G1/8	5,5	19,4	8,5	14	10
QB CG 06 18	6	G1/8	5,5	23,8	12	14	12
QB CG 06 14		G1/4	7,5	22,5	12	17	12
QB CG 08 18	8	G1/8	5,5	28	14	14	14
QB CG 08 14		G1/4	7,5	27	14	17	14
QB CG 08 38		G3/8	7,5	22,4	14	20	14
QB CG 10 14	10	G1/4	7,5	32	16	17	17
QB CG 10 38		G3/8	7,5	28	16	20	17
QB CG 10 12		G1/2	10	24,5	16	24	17
QB CG 12 38	12	G3/8	7,5	29,7	18	20	20
QB CG 12 12		G1/2	10	28	18	24	19

QB BG




MODEL	ØD	G	L1	L2	ØD1	↻
QB BG 04 18	4	G1/8	8,5	23	8,5	14
QB BG 06 18	6	G1/8	8,5	28	12	14
QB BG 06 14		G1/4	11	30,5	12	17
QB BG 08 18	8	G1/8	8,5	29	14	14
QB BG 08 14		G1/4	11	31,5	14	17
QB BG 08 38		G3/8	12	32,5	14	21
QB BG 10 14	10	G1/4	11	33,5	16	17
QB BG 10 38		G3/8	12	34,5	16	21
QB BG 10 12	12	G1/2	14	36,5	16	24
QB BG 12 38		G3/8	12	36	18	21
QB BG 12 12		G1/2	14	38	18	24

QB LG




MODEL	ØD	G	L1	L2	L3	ØD1	ØD2	↻
QB LG 04 18	4	G1/8	5,5	18,5	18,5	8,5	14	14
QB LG 06 18	6	G1/8	5,5	18,5	23,5	12	14	14
QB LG 06 14		G1/4	7,5	22,5	23,5	12	17	10
QB LG 08 18	8	G1/8	5,5	19,5	25,7	14	14	14
QB LG 08 14		G1/4	7,5	23,5	25,7	14	17	12
QB LG 08 38		G3/8	7,5	24	25,7	14	20	12
QB LG 10 14	10	G1/4	7,5	25,5	29	16	17	14
QB LG 10 38		G3/8	7,5	25,5	29	16	20	14
QB LG 10 12	12	G1/2	10	28	29	16	24	14
QB LG 12 38		G3/8	7,5	26,5	30,7	18	20	17
QB LG 12 12		G1/2	10	29	30,7	18	24	17

QB TG




MODEL	ØD	G	L1	L2	L3	ØD1	ØD2	↻
QB TG 04 18	4	G1/8	5,5	18,5	37	8,5	14	14
QB TG 06 18	6	G1/8	5,5	19,5	44	12	14	14
QB TG 06 14		G1/4	7,5	23,5	44	12	17	10
QB TG 08 18	8	G1/8	5,5	20	50,5	14	14	14
QB TG 08 14		G1/4	7,5	24	50,5	14	17	12
QB TG 08 38		G3/8	7,5	24,5	50,5	14	20	12
QB TG 10 14	10	G1/4	7,5	26	64	16	17	14
QB TG 10 38		G3/8	7,5	26	64	16	20	14
QB TG 10 12	12	G1/2	10	28,5	64	16	24	14
QB TG 12 38		G3/8	7,5	27	66,5	18	20	17
QB TG 12 12		G1/2	10	29,5	66,5	18	24	17

QB DG




MODEL	ØD	G	L1	L2	L3	L4	ØD1	ØD2	↻
QB DG 04 18	4	G1/8	5,5	19	17,5	37	8,5	14	14
QB DG 06 18	6	G1/8	5,5	19	25	44	12	14	14
QB DG 06 14		G1/4	7,5	23	25	48	12	17	10
QB DG 08 18	8	G1/8	5,5	20	27,2	47	14	14	14
QB DG 08 14		G1/4	7,5	24	27,2	51	14	17	12
QB DG 08 38		G3/8	7,5	24,5	27,2	52	14	20	12
QB DG 10 14	10	G1/4	7,5	26	32	58	16	17	14
QB DG 10 38		G3/8	7,5	26	32	58	16	20	14
QB DG 10 12	12	G1/2	10	28,5	32	61	16	24	14
QB DG 12 38		G3/8	7,5	27	33,2	60	18	20	17
QB DG 12 12		G1/2	10	29,5	33,2	63	18	24	17

QB QG



MODEL	ØD	G	L1	L2	L3(max)	ØD1	ØD2	H	↻
QB QG 04 M5	4	M5	3,5	12	20,5	9,5	9,5	20	8
QB QG 04 18		G1/8	5,5	15,5	26,5	9,5	14	22	12
QB QG 06 M5	6	M5	3,5	13	20,5	12	9,5	24	8
QB QG 06 18		G1/8	5,5	15,5	26,5	12	14	27	12
QB QG 06 14	8	G1/4	6,5	17,5	30	12	17	28	14
QB QG 08 18		G1/8	5,5	15,5	26,5	14	14	28	12
QB QG 08 14		G1/4	6,5	17,5	30	14	17	30	14
QB QG 08 38	10	G3/8	7,5	17,5	31	14	21	32	19
QB QG 10 14		G1/4	6,5	17,5	30	16	17	31	14
QB QG 10 38		G3/8	7,5	17,5	31	16	21	35	19
QB QG 10 12	12	G1/2	10	24,5	39	16	24	37	24

QB RG



MODEL	ØD	G	L1	L2	L3(max)	ØD1	ØD2	H	↻
QB RG 04 M5	4	M5	3,5	12	36	9,5	9,5	20	8
QB RG 04 18		G1/8	5,5	15,5	43	8,5	14	22	12
QB RG 06 M5	6	M5	3,5	12	36	12	9,5	24	8
QB RG 06 18		G1/8	5,5	15,5	43	12	14	27	12
QB RG 06 14	8	G1/4	6,5	17	48	12	17	28	14
QB RG 08 18		G1/8	5,5	15	43	14	14	28	12
QB RG 08 14		G1/4	6,5	17	48	14	17	30	14
QB RG 08 38	10	G3/8	7,5	20	53	14	21	32	19
QB RG 10 14		G1/4	6,5	17	48	16	17	31	14
QB RG 10 38		G3/8	7,5	20	53	16	21	35	19
QB RG 10 12	12	G1/2	10	26,5	61	16	24	37	24